Copy No / / -

JOINT PHOTOGRAPHIC INTELLIGENCE BRIEF ARMY-NAVY-CIA

(Published and Disseminated by CIA/PIC)

SUBJECT : Surface-to-Air Missile Site

PIC/JB-27/60 NO DATE 22 March 1960

LOCATION: 6.5 nm NW of Znigulevsk Dam,

COORD 530321N 49023 E

Volga River, USSR





Figure 1. SAM SITE 6.5 NM NW OF ZHIGULEVSK DAM, VOLGA RIVER. Declass Review by NGA / DoD $\,$

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050028-8



TOP SEERET

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050028-8

25X1D

PIC/JB-27/60

TOP SEGRET

Approved For Release 2005/12/25 : CIA-RIDP78T04751A000300050028-8

PIC/JB-27/60

REFERENCE POINT:		I	0EV4A
ZHIGULEVSK DAM, VOLGA RIVER,	BE No	53°27'00"N -	25X IA
49°29°00'E.			

LOCATION:

6.5 nm northwest of reference point.

FUNCTION:

One of a group of sites deployed for the defense of Zhigulevsk Dam.

SITE STATUS:

Complete and operational.

LAUNCH FACILITIES:

Six launch revetments with six launchers emplaced.

MISSILES:

Possibly seven canvas-covered missiles located in vehicle parking area.

ELECTRONICS AND ASSOCIATED EQUIPMENT:

Probable FRUIT SET radar with associated vans and/or trailers positioned in revetments at center of operations area.

Probable acquisition radar with associated trailer located in north corner of operations area.

COMMUNICATIONS:

Possible communications van located on south side of operations area.

OVERHEAD POWER and/or COMMUNICATION LINE:

Overhead wire line leads to site.

TRANSPORTING EQUIPMENT:

Five tractors, 7 missile trailers, 4 prime movers, 6 sets of bogie wheels, 2 van trailers and 4 U/I vehicles located in vehicle parking area.

SUPPORT AREA:

Structures

Description	Roof Type	No Stories	Dimensions (feet)		
Administration	Hîp	2	160×60		
4 Barracks	Gable	2	65×40		

... 3 es

Approved For Release 2005/12/25 : CIA-RDP78T04751 A000300050028-8

PIC/JB-27/60

Support building	Gable	1	40×40
Support building	Gable	1	40×35
Support building	Gable].	40×20
Support building	Gable	1	30×25
Support building	Gable	1	15×15
Shed	Shed	1	80×20
Shed	Shed	1	60×15
Shed	Shed	1	15×15

Other features include one possible tank 25 feet in diameter and one earther mound. Construction activity in the support area includes several ditches and one building under construction.

SECURITY:

Security fence encloses operations area.

REMARKS:

Site is situated on relatively flat terrain near the edge of a forested area. A SAM support facility 7 mm to the east-southeast probably serves the site.

MAP REFERENCES:

	<i>/</i> —	* * * * * * * * * * * * * * * * * * * *	T	c=4-1 .	9 PS T	~~ ~
WAC	bba.	AMS-Serie	s N 501.	Sheet	NIN	39-7

25X1D

PHO	OTO	DATA:					